

PG 8060 Marine

# The world of Miele Marine



## PG 8060 [OFFSHORE 3 AC 440V 60Hz 16A 9kW]

Fresh-water dishwasher  
with baskets, for offshore locations such as drilling platforms.



- Max. cleaning performance<sup>†</sup>: 152 plates/h
- First-class results thanks to freshwater wash system
- Special electrical connection for specific site conditions
- Extremely hygienic results – final rinse temperature 85 °C
- Versatile processing of two wire or plastic baskets per cycle

<b>Construction type and version</b>	
Number of levels	2
<b>Performance data</b>	
Circulation pump Qmax in l/min.	390
Shortest programme duration in min.	27
Maximum final rinse temperature in °C	85
Cleaning performance, plates/h	152
Cleaning performance, baskets/h	4
Tested operating hours	15.000
<b>Controls</b>	
Max. delay start in h	24
<b>Standard electrical connection</b>	
Electrical connection	3 AC 440V 60HZ
Heater rating in kW	9,00
Total connected load in kW	9,00
Fuse rating in A	16
Length of mains cable in m	1,70
<b>Possible voltage variant 1</b>	
Electrical connection	AC 220V 60HZ
Total connected load in kW	0,40
Fuse rating in A	4
<b>Water connection/drainage</b>	
Cold water [number]	1
Hot water [number]	1
Required flow pressure in bar	0,10-10,00
Drain pump [DN]	22
Maximum delivery head for drain pump in cm	100
Maximum water hardness in mmol/l	10,70
Water consumption per wash cycle in l	8,00
<b>Dimensions and weight</b>	
External dimensions, height in mm	820
External dimensions with lid, height in mm	835
External dimensions, width in mm	600
External dimensions, depth in mm	600
Usable space in wash cabinet, height in mm	520
Usable space in wash cabinet, width in mm	530
Usable space in wash cabinet, depth of upper basket in mm	474
Usable space in wash cabinet, depth of lower basket in mm	505
In-feed height above floor in mm	216
Net weight [kg]	72
Maximum floor loading in N	1200
<b>Emissions data</b>	
Sound power (LwA) in dB(A) re 1 pW	57,0
Heat dissipation into the room in MJ/h	1,08

## PG 8060 [OFFSHORE 3 AC 440V 60Hz 16A 9kW]

Fresh-water dishwasher

with baskets, for offshore locations such as drilling platforms.



- Max. cleaning performance<sup>†</sup>: 152 plates/h
- First-class results thanks to freshwater wash system
- Special electrical connection for specific site conditions
- Extremely hygienic results – final rinse temperature 85 °C
- Versatile processing of two wire or plastic baskets per cycle

<b>Construction type and version</b>	
Number of levels	2
<b>Performance data</b>	
Circulation pump Qmax in l/min.	390
Shortest programme duration in min.	27
Maximum final rinse temperature in °C	85
Cleaning performance, plates/h	152
Cleaning performance, baskets/h	4
Tested operating hours	15.000
<b>Controls</b>	
Max. delay start in h	24
<b>Standard electrical connection</b>	
Electrical connection	3 AC 440V 60HZ
Heater rating in kW	9,00
Total connected load in kW	9,00
Fuse rating in A	16
Length of mains cable in m	1,70
<b>Possible voltage variant 1</b>	
Electrical connection	AC 220V 60HZ
Total connected load in kW	0,40
Fuse rating in A	4
<b>Water connection/drainage</b>	
Cold water [number]	1
Hot water [number]	1
Required flow pressure in bar	0,10-10,00
Drain pump [DN]	22
Maximum delivery head for drain pump in cm	100
Maximum water hardness in mmol/l	10,70
Water consumption per wash cycle in l	8,00
<b>Dimensions and weight</b>	
External dimensions, height in mm	820
External dimensions with lid, height in mm	835
External dimensions, width in mm	600
External dimensions, depth in mm	600
Usable space in wash cabinet, height in mm	520
Usable space in wash cabinet, width in mm	530
Usable space in wash cabinet, depth of upper basket in mm	474
Usable space in wash cabinet, depth of lower basket in mm	505
In-feed height above floor in mm	216
Net weight [kg]	72
Maximum floor loading in N	1200
<b>Emissions data</b>	
Sound power (LwA) in dB(A) re 1 pW	57,0
Heat dissipation into the room in MJ/h	1,08

Miele & Cie. KG  
Carl-Miele-Straße 29  
33332 Gütersloh  
Germany

Tel. +49 5241 89-0

[www.miele-marine.com](http://www.miele-marine.com)

#### International Service Contacts

Americas: +1 609419 4376  
Australia, Asia, Oceania: +61 3 9764 7880  
Europe, Africa, Middle East: +049 5241 89 566 877  
Email: [service@miele-marine.com](mailto:service@miele-marine.com)

**A** Miele Ges.m.b.H., Wals/Salzburg  
**AUS** Miele Australia Pty. Ltd., Melbourne  
**B** N.V. Miele S.A., Mollem  
**CDN** Miele Limited, Vaughan/Ontario  
**CH** Miele AG, Spreitenbach  
**CL** Miele Ltda., Santiago de Chile  
**CN** Miele Electrical Appliances Co. Ltd., Shanghai  
**CZ** Miele spol.s.r.o., Brno  
**D** Miele & Cie. KG, Gütersloh  
**DK** Miele A/S, Glostrup/Copenhagen  
**E** Miele S.A.U., Alcobendas/Madrid  
**F** Miele S.A.S., Le Blanc-Mesnil/Paris  
**FIN** Miele Oy, Vantaa/Helsinki  
**GB** Miele Company Ltd., Abingdon  
**GR** Miele Hellas E.P.E., Psychiko-Athens  
**H** Miele Kft., Budapest  
**HK** Miele Hong Kong Ltd., Hong Kong  
**HR** Miele d.o.o., Zagreb  
**I** Miele Italia G.m.b.H., Eppan  
**IND** Miele India Pvt Ltd., New Delhi  
**IRL** Miele Ireland Ltd., Dublin  
**J** Miele Japan Corp., Tokyo  
**KZ** Miele LLP, Almaty  
**L** Miele s.à r.l., Luxembourg  
**LV** Miele SIA, Riga  
**MEX** Miele S.A. de C.V., Mexico City  
**MY** Miele Sdn Bhd, Kuala Lumpur  
**N** Miele AS, Nesbru/Oslo  
**NL** Miele Nederland B.V., Vianen  
**NZ** Miele New Zealand Ltd., Auckland  
**P** Miele Portuguesa Lda., Carnaxide/Lisbon  
**PL** Miele Sp. z o. o., Warsaw  
**RO** Miele Appliances S.R.L., Otopeni/Bucharest  
**ROK** Miele Korea Ltd., Seoul  
**RU** OOO Miele CIS, Moscow  
**S** Miele AB, Solna/Stockholm  
**SGP** Miele Pte. Ltd., Singapore  
**SK** Miele s.r.o., Bratislava  
**SLO** Miele d.o.o., Ljubljana  
**SRB** Miele d.o.o., Belgrade  
**TR** Miele Elektrikli Aletler, Istanbul  
**UA** Miele LLC, Kiev  
**UAE** Miele Appliances Ltd., Dubai  
**USA** Miele, Inc., Princeton/New Jersey  
**ZA** Miele (PTY) Ltd., Bryanston/Johannesburg

**My Notes**  
**Beha Hedö**